



## Sension+ Multisensor for pH, cond., DO, Temp.

Nr. produs: LZW5049.97.0002

RON Preț (fără TVA): Contact

Nu este afișată data expirării

Sension+ 5049 is a multi-parameter electrode for determination of pH, conductivity, DO and temperature. The 5049 has a plastic body, and 3 parameter-specific, separately attached electrodes. The probe has a fixed 1 meter cable and MP8 connector dedicated for use with Hach Sension+ MM156 portable meters. It is ideal for pH, conductivity, and DO measurements in general aqueous applications.

### Determine multiple parameters in the field with one electrode

No need for heavy sondes or numerous electrodes to measure multiple parameters in the field. Hach Sension+ multi-parameter portable electrodes' innovative designs house multiple sensing elements in one electrode body.

### Low maintenance design for a variety of applications

Non-refillable gel reference electrolyte provides accurate, stable results without concerns for repeated maintenance

### Ultra portable but protected against harsh field conditions

Resilient polycarbonate body, heavy-duty handle, and durable MP8 connector ensures protected, repeatable performance in the field

### Heavy-duty electrode handle design optimized for field calibration and storage

Hach's Sension+ portable electrodes' calibration and storage tubes screw directly onto the portable electrodes' heavy-duty handle. This design is ideal for field calibration and transport as it provides a secure interface between the electrode and calibration/storage tube as well as reducing the risk of contamination in field conditions.

---

## Specificații

Condiții de operare:	0 - 50 °C
Conector:	Sension+ MP8
Conținutul cutiei:	Includes: Sension+ 5049 portable multi-parameter electrode (pH, EC, DO) and Basic User Manual.
Domeniu de măsurare:	0.03 mg/L - saturation
Domeniu de masurare :	5 - 30,000 µS/cm
Garanție:	6 luni
Parametru:	pH, Conductivity, Dissolved Oxygen
Tip:	Portabil

---

## Conținutul cutiei

Includes: Sension+ 5049 portable multi-parameter electrode (pH, EC, DO) and Basic User Manual.